



WE PROTECT YOU

COLLECTION
2018 | **2019**
WINTER | SUMMER

www.helite.com

MORE THAN 90.000 AIRBAGS AROUND THE WORLD

HELITE was founded in 2002 by Gérard Thevenot, one of the French pioneer and entrepreneurs in the light aircraft industry. His thirst for inventions and safety awareness pushed him into developing an airbag system in the light aircraft sector. He rapidly understood the crucial needs for more security in all types of applications. Our airbags are already in use in several high-risk activities such as motorcycling, horse riding...



Gerard Thevenot, founder

“My priority is quality and innovation
for a better protection.”

MADE IN FRANCE

Design, development and manufacturing of the airbag systems is conducted by HELITE in Dijon, France. Every single airbag and trigger system is carefully tested and quality controlled.



GUARANTEED QUALITY & RELIABILITY

HELITE ajsbaht asf CE bfsujpfe aoe hvasaouf fe gps 2 z fast xju i maintenance and customer service. Register your airbag on our hvasfouff x fbtjuf up fyufoe uif njn jufe 2 z fast xassaouz joup 4 z fast xassaouz: x x x. i fnjuf-t fswjbf. bpn

15 YEARS OF EXPERIENCE
IN PROTECTING PEOPLE

TABLE OF CONTENT

Mechanical airbag systems	p03
Airnest.....	p04
TURTLE Technology.....	p06
Turtle Black.....	p08
Turtle Hi-Vis.....	p10
GP Air.....	p12
Vented.....	p14
Vented Hi-Vis.....	p16
Touring Black.....	p18
Touring Grey.....	p20
Custom.....	p22
Xena.....	p24
Roadster Black.....	p26
Roadster Vintage.....	p28
Accessories.....	p30
Helite collection.....	p31

MECHANICAL AIRBAG SYSTEMS

Tif n pupsbzbmjoh ajsbah tztuf nt gsp n Hfmjuf asf 100% n fbiaojbam up awpje vofyqfbufe airbag activation and changing batteries. Once the rider attaches the lanyard directly to his n pupbzbmf uif tztuf n jt abujwaufe. Ypv epoou offe tqfbjam uppmnt psufbiojbam lopxmfefh up jotuam uif maozase po uif n pupsbzbmf. lo uif fwfou pg ao abbjefou, a CO2 basusjehf efqmpzt uif ajsbah xjuijo 100 nt xijbi jt gatufsuiaouif bnjol pg ao fzf. Tif ajsbah abtspbt jn qabut aoe tuabjnj{ft uif xipmf vqqfs bpez gsp n ifae up uajmbpof. Agufs ao joAujpo uif tztuf n bao bf svtfe xjuijo 2 njovuft. Tif sjefs pomz offet up sfqmaf uif basusjehf. Tijt nalft uif vtf at tjnqm at qpttjbm. Tif ajsbaht asf CE bfsujpfe bz uif fyufsoam mabpsaupsz CRITT Sport, the French specialist for objectively testing Personal Protective Equipment (PPE).

INFLATION TIME

Very fast under 100 ms to inflate a large volume with an optimal pressure. Faster than the blink of an eye.

INNOVATIVE AIRBAG SHAPE


Stabilization of the head, neck and spine to avoid whiplash injuries and hyper-extension.

AIRBAG VOLUME

From 14 to 28 liters of protection (depends on the airbag size).


REUSABLE

Replace the CO2 cartridge to reactivate your airbag on your own in less than 2 min.



AIRNEST

The first airbag produced by Helite, color your ride with a good protection.



Black color is always on stock. The other colors are available on request, up to 10 weeks delivery time.

- Bpse favy
- Red
- Bsp x o
- Ljh i u Gsf fo
- Dasl Gsf fo
- Yf m p x Hj-Vjt + sf Afbujwf qao fm

 Dasl Gsf z Nawz B m v f Rpza m B m v f Ljh i u B m v f Purple Orange

♀♂ Fps x p n fo aoe n fo

AIRNEST (cm)	Child S	Child M	Child L	S	M	L	XL	LL	XLL
Height	135-145	140-155	145-165	155-170	165-175	170-185	180-195	170-185	180-195
Chest line <i>with clothes</i>	60-85	70-90	80-95	85-95	90-100	95-105	100-110	100-120	105-140
Waist line <i>with clothes</i>	60-70	65-75	70-80	75-85	80-90	85-100	95-110	90-120	105-135
Hip line <i>with clothes</i>	70-80	75-85	80-90	85-95	90-100	95-105	105-110	100-115	110-140
Back length	30-40	35-45	40-50	45-55	50-60	55-65	60-70	55-70	60-75
Cartridge	50 CC	50 CC	60 CC	60 CC	60 CC	60 CC	60 CC	100 CC	100 CC

This size chart is for information only. Caution, you mustn't wear Helite airbag if you weigh less than 35kg.

- KNOX CE approved back protector.
- The collar unfolds when the airbag deploys to maintain the neck and head effectively.
- Interior textile 3D mesh for maximum air circulation.
- Adjustment straps to fit the vest nicely over any motorcycle gear.
- Resistant fastening clips to sustain many inflations. Easy to open and close even with gloves.



A revolution for your safety



OPTIMAL PROTECTION

A i j h i - r v a n j u z b a b l q s p u f b u p s j t q m a b f e p w f s u i f a j s b a h a t a s j h j e p v u f s n a u f s j a m m j l f a u v s u m f t i f m m t p u i a u u i f x i p m f b a b l j t q s p u f b u f e j o b a t f p g a g a m m . T i f b p n q p t j u j p o p g u i f T U R T L E a j s b a h t b a o b f b p n q a s f e x j u i u i f b p n q p t j u j p o p g a i f m n f u : t h e r e i s a r i g i d o u t e r m a t e r i a l (p r o t e c t o r) a n d a s o f t e r m a t e r i a l (a i r b a g) t h a t a b s o r b s t h e s h o c k . T h e b i g T U R T L E a d v a n t a g e i s t h a t i t a l s o p r o t e c t s t h e r i d e r f r o m i n t r u d i n g o b j e c t s l i k e a g u a r d r a i l i n g , a b r u n c h o r a p i e c e p g a n p u p s b z b m f . B f b a v t f p g j u t s j h j e n a u f s j a m u i f b a b l q s p u f b u p s i j o e f s t t i a s q p b k f b u t u p h f u i n t o t h e b o d y a n d t o d a m a g e t h e a i r b a g . T h e a r e a o f c o v e r a g e i s m u l t i p l i e d .

EFFICIENT FORCE DISTRIBUTION

4 y MORE EFFECTIVE THAN A NORMAL AIRBAG

Tftut gspn uif fyufsoam mabpsaupsz CRITT Sqpsu iawf tipxo uiau uif gpsbf ejtusjbvujpo jt 4 ujn ft npsf fdbujwf uiao xjui a sfhvmas airbag of the same size and the same shape.



SAS-TEC
protector
level 2

INNOVATION

SHOCK ABSORPTION MULTIPLICATION OF PROTECTION AREA

The rigid back protector not only protects the airbag from damage, but also ensures a better distribution of absorption. The smaller the tvsgabf po xijbi uif gpsbft abu, uif bfuufs is the protection of the TURTLE comparable xjui a tuaoease ajsbah. Dvf up uif fyufotjwf qspufbups u i f b a b l j t o p x b p q m f u f m z b p w f s f e .

NEW
DESIGN

TURTLE BLACK

*A discrete and strong
protection to wear over
any motorcycle jacket.*

Airbag inflated, neck protected



♀♂ Fps x p n fo aoe n fo



Awaj nab f jo 2019
Sj f XS -> XL-L

- TURTLE Tfb i opm phz x ju i SAS-TEC mfwf m 2 babl protector.
- loufsjps ufyujnf 3D n ft i gps n ayj n v n ajs bjsbv naujpo.
- Aekvtu n fou tusaqt up gju the vest nicely over any motorcycle gear.
- Eyufsjps qpbl fu gps t n amm objects.

Black color is always on stock. The other colors are available on request, up to 10 weeks delivery time.

- | | | |
|-------------|------------------|------------------|
| ● Bpse favy | ● Dasl Gsfz | ● Ljh i u Gsf fo |
| ● Red | ● Nawz Bm v f | ● Dasl Gsf fo |
| ● Bsp x o | ● Rpza m Bm v f | ● Orange |
| ● Purple | ● Ljh i u Bm v f | |






NEW
DESIGN

The TURTLE 2 in hi-vis merges optimal protection and a highly visible design. This color in combination with retro-reflective stripes makes the rider as visible as possible on the road. Accident prevention, that's where the focus is on. The CO2 cartridge is nicely hidden in a (velcro) pocket. Thanks to generous adjustment straps the Turtle nicely fits over any motorcycle jacket and guarantees a high comfort.

TURTLE HIVIS

*An optimal accident prevention
that maximizes the protection*

Available in 2019
Size XS -> XL-L




♀♂ Fps xp n fo aoe n fo

- TURTLE Tfb i opmhz xju i SAS-TEC mfwf 2 babl qspufbups.
- Soft neoprene collar for a better comfort.
- loufsjps ufuyjmf 3D n fti gps n ayj n v n ajs bjsbvmaujpo.

- Eyufsjps qpb l fu gps t n amm objects.
- Resistant fastening clips to sustain many inflations. Easy to open/close even xju i hnpwft.

GP AIR

The airbag racing vest has been specially developed for the race track. Attention has been focused on aerodynamics with a perfect fit and a space for the suit's hump. For more security, the vest is made with abrasion resistant materials.



GP AIR (cm)	S	M	L	L-L	XL	XL-L
Height	160-180	165-185	170-190	170-190	175-195	175-195
Chest line <i>with equipment</i>	75-85	80-90	85-95	90-100	90-105	95-115
Waist line <i>with equipment</i>	65-80	70-85	75-90	80-95	80-100	85-110
Hip line <i>with equipment</i>	70-90	80-95	85-100	90-105	90-110	95-115
Back length	45-60	50-65	55-70	55-70	60-75	60-75
Cartridge	60 CC	60 CC	60 CC	60CC	60 CC	60 CC

This size chart is for information only. The vest should have a close-fitting for the aerodynamics and it must go down 10 cm under the iliac crest (hip bone). Caution, you must not wear Helite airbag if you weigh less than 35 kg.

VENTED

*Keep cool without missing
your optimal protection*




T i f Vfoufe jt u i f j e f a m q s p u f b u j w f h f a s g p s u i f i p u e a z t . W j u i j u t m a s h f - a s f a
n f t i j o t f s u t u i j t F s f f - A j s h v a s a o u f f t a o p q u j n a m w f o u j m a u j p o . I g j u s a j o t p s u i f
e s j w f s t x j o e t b f b p n f v o b p n g p s u a b m f , u i f t f q a s a u f m j o f s k a b l f u f o t v s f t
x j o e a o e x a u f @ # T h v a o a m A ' p t v U o p n " s h ξ v ~ T ~ b ξ v A

airbag
joAaufe

VENTED HI-VIS

*Your airbag companion
for the hot days with
high visibility*

NEW
COLOR





TOURING GREY

An airbag jacket for all year round. By controlling the air circulation the pilot can easily adapt to the riding season.

- ♀♂ Fps xpn fo aoe n fo
- TURTLE Tfb i opm phz xju i SAS-TEC mfwf m 2 babl qspuf bups.
 - Rfusp-sf Af bujwf qao fnt gps 360°C ojh i u wjtjb jnjuz.
 - Hjh i fs rvanjuz gabsjb aoe w ojt i f t aeaqufe up upvsjoh n pupsbzbmjoh: Cpsevs a 600D aoe 1000D (po fmbpx t aoe t i pvme fst).



Waufsqspgg, xjoeqspgg aoe breathable membrane for any x fau i fs bpoejujpo.

- Rf n pwabmf gvmnz-tmf fwfe thermal liner (100% Polyester) xju i n fti.
- Zippers on front, back and hfofspvt uxp-xaz {jqg fst po u i f tmf fwf bvdt p d fs added ventilation.
- Aekvtuabmf tmjefsgps ofbl, tusaq au xajtu aoe wfmbsp au bvdt.
- Maoz joufsjps aoe fyufsjps pockets of all sizes.

airbag
joAuf e

TOURING GREY (cm)	S	M	L	XL	2XL	3XL	4XL
Height	160-175	170-180	175-185	180-190	180-195	180-200	180-205
Chest line with clothes	70-85	80-90	85-95	90-100	95-105	100-110	105-115
Waist line with clothes	65-80	70-85	75-90	80-95	85-100	90-105	95-110
Hip line with clothes	70-85	80-95	85-100	90-105	95-110	100-115	105-120
Back length	55-70	60-75	65-80	65-85	65-90	70-95	70-100
Arm length	57-65	62-70	65-72	65-75	65-77	65-80	67-82
Cartridge	60 CC	60 CC	60 CC	60 CC	60 CC	60 CC	60 CC


This size chart is for information only. Caution, you mustn't wear Helite airbag if you weigh less than 35kg.

♀♂ Fps xp n fo aoe n fo



Waterproof,
xjoeqsppg aoe
breathable
membrane for any
x fau i fs bpoejupot

Removable
gvmmz- tnf fwfe
thermal liner
(100% Polyester)
xjui n fti





Rfusp-sfÅfbujwf qao fnt

Maoz jou fsjps
aoe fyufsjps
pockets of all sizes

Higher quality
fabric 1000D on
fmbpx t aoe t ipvme fst

TOURING Black (cm)	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
Height	160-175	170-180	175-185	180-190	180-195	180-200	180-205	180-205	180-210
Chest line with clothes	70-85	80-90	85-95	90-100	95-105	100-110	105-115	110-125	115-135
Waist line with clothes	65-80	70-85	75-90	80-95	85-100	90-105	95-110	100-120	105-130
Hip line with clothes	70-85	80-95	85-100	90-105	95-110	100-115	105-120	110-125	115-135
Back length	55-70	60-75	65-80	65-85	65-90	70-95	70-100	70-100	70-100
Arm length	57-65	62-70	65-72	65-75	65-77	65-80	67-82	67-85	67-90
Cartridge	60 CC	60 CC	60 CC	60 CC	60 CC	60 CC	60 CC	100 CC	100 CC

This size chart is for information only. Caution, you mustn't wear Helite airbag if you weigh less than 35kg.





airbag
joAufe



CUSTOM (cm)	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
Height	155-185	160-190	165-195	170-195	175-195	175-195	175-195	175-200	180-205
Chest line <i>with clothes</i>	80-100	85-105	90-110	95-115	100-115	105-120	110-125	115-130	120-135
Waist line <i>with clothes</i>	70-95	75-100	80-105	85-110	90-115	95-120	100-125	105-130	110-135
Hip line <i>with clothes</i>	80-100	85-105	90-110	95-115	100-120	105-125	110-130	115-135	120-140
Back length	45-65	50-70	55-72	60-75	60-75	60-75	60-75	60-80	60-80
Cartridge	60 CC	60 CC	60 CC	60 CC	60 CC	60 CC or 100 CC *	60 CC or 100 CC *	100 CC	100 CC

This size chart is for information only. Caution, you must not wear Helite airbag if you weigh less than 35 kg.* Caution, when you change your cartridge please check its size thanks to the label on your airbag Custom vest.





XENA

Xena appeals to all women who want to combine style and safety on motorcycle.



XENA (cm)	S	M	L	XL
Height	165-180	170-185	175-190	180-195
Chest line <i>with clothes</i>	85-95	90-100	95-105	100-110
Waist line <i>with clothes</i>	75-90	85-100	90-105	95-110
Hip line <i>with clothes</i>	85-100	90-105	95-110	100-115
Back length	60-70	60-75	65-80	65-85
Arm length	57-63	58-65	59-67	60-69
Cartridge	60 CC	60 CC	60 CC	60 CC

This size chart is for information only. Caution, you mustn't wear Helite airbag if you weigh less than 35kg.

ROADSTER

VINTAGE

♂ For men
A retro style and a maximum safety - these both components won't leave your side.



- Tvsumf Tfbiopmhz xju i SAS-TEC mfwf 2 babl qspufbups + t i pvne fs/ fmbpx as n pst.
 - Stretchy fabric on top of the back to optimize the protection of the neck (nicely hidden by a velcro).
 - Bsp x o m fau i fs (bv d amp 1,3 n n).
 - Removable thermal liner.
- Stretchy leather on sides ensure a quu fe bv u aoe a ijh i bp n gpsu.
 - Spgu ofpqsf of bpmmas xju i w fmbsp adjustment.
 - Stretchy and breathable fabric under the arms for a great mobility.
 - Eyufsjps aoe joufsjps (t n asuq i po f) pockets.

ROADSTER (cm)	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
Height	160-175	170-180	175-185	180-190	180-195	180-200	180-205	180-210	180-215
Chest line with clothes	75-90	85-95	90-105	100-110	105-115	110-120	115-130	120-140	130-150
Waist line with clothes	70-80	75-90	85-100	90-105	95-110	100-120	105-130	110-135	120-140
Hip line with clothes	75-90	85-100	95-110	100-115	105-120	110-125	115-135	115-140	115-150
Back length	55-70	60-75	65-80	65-85	65-90	70-95	70-100	70-100	70-100
Arm length	57-65	62-70	65-72	65-75	65-77	65-80	67-82	67-85	67-90
Cartridge	60 CC	60 CC	60 CC	60 CC	60 CC	60 CC or 100 CC *	60 CC or 100 CC *	100 CC	100 CC

This size chart is for information only. Caution, you must not wear Helite airbag if you weigh less than 35 kg.
* Caution, when you change your cartridge please check its size thanks to the label on your airbag jacket.

ACCESSORIES

A simple click and a CO2 cartridge - that's all it needs to be protected!

LANYARD

If you use several motorcycles, you can buy the motorcycle lanyards separately. No special tools or technical knowledge are required to install the lanyard on the motorcycle.




CLIP HANGER

The clip hanger allows you to attach your lanyard when you are not using your motorcycle.



CARTRIDGE

In the event of a fall, replace the empty cartridge with a new one of the same capacity of the Helite brand. Quick and easy, you can re-use your airbag system in less than 2 min.



CO2 Cartridge	Weight	Protection volume
50 CC	152 g	14 liters
60 CC	182 g	17 liters
100 CC	300 g	24 liters

COLLECTION

2018 WINTER | 2019 SUMMER



AIRNEST
Cijre S -> XL-L
Fsp n 449Ü




NEW - TURTLE BLACK
XS -> XL-L
Awajrabnf jo 2019



NEW - TURTLE HI-VIS
XS -> XL-L
Awajrabnf jo 2019



GP AIR
S -> XL-L
740Ü



BLACK LEATHER SLIDERS
26 Ü (uif qajs)



VENTED
S -> 4XL
689Ü



NEW - VENTED Hi-Vis
S -> 4XL
Awajrabnf jo 2019



TOURING GREY
S -> 4XL
749Ü



TOURING BLACK
S -> 6XL
749Ü



CUSTOM
S -> 6XL
689Ü



XENA
S -> XL
849Ü



ROADSTER BLACK
S -> 6XL
849Ü



ROADSTER VINTAGE
S -> 6XL
849Ü



LANYARD
26Ü



CLIP HANGER
7Ü



CARTRIDGE 50CC
22Ü



CARTRIDGE 60CC
22Ü



CARTRIDGE 100CC
26Ü



REGISTER YOUR AIRBAG AND BENEFIT FROM OUR 4 YEARS WARRANTY

Am Hfmjuf ajsbaht asf CE bfsujpfe aoe bp n f xju i a 2 zfas
xassaouz. lg zpv sfhjtufs zpbs ajsbah po pvs x fbtjuf
x x x. i fmjuf-t fswjbf. bp n zpv bao fyufoe u i f m j n juf e
2 zfast xassaouz joup 4 zfast xassaouz.

Where can you find Helite airbags?

lu6t fatz! Vjtju pvs x fbtjuf
aoe ppe am pvs sft fmmfst
aspvoe u i f xpsme po pvs
store locator.

www.helite.com

Fpmpx vt po



DYSTRYBUTOR W POLSCE: EQUILAND Aooa Gpt - vm.Cjft{znt la 20/6 / 45-316 Oqp mf / POLAND
Tfm (Aooa): 793 948 886 / Tfm.: (Pax fm): 605 501 050 / En ajm: tlmfq@lanj{fmljpbispoo f.qm /
x x x.lanj{fmljpbispoo f.qm